PRIVATE ADVERTISEMENTS

IN THE COURT OF THE PRINCIPAL SUBORDINATE JUDGE AT BANGALORE.

Insolvency Application No. 8 *of* 1950-51.

Mr. S. Stephenson ... ... *Petitioner.*

vs.

Syed Mohamed and others ... ... *Respondents*

Whereas the petitioner has applied to this Court by a petition dated 18th July 1950, to be declared an insolvent under the Mysore Insolvency Act VI of 1911, and your name appears in the list of creditors filed by the aforesaid debtor, this is to give you notice that the Court has fixed the 22nd day of September 1950, for the hearing of the aforesaid petition and the examination of the debtor. If you desire to be represented in the matter you should attend in person or by duly instructed pleader. The particulars of the debt alleged in the petition to be due to you are as follows :—

		Rs. a. p.
Assets	...	Nil.
Liabilities	...	4,185 0 0

811

Insolvency Application No. 9 *of* 1950-51.

Mohamad Haneef ... *Petitioner.*

vs.

Sait Pribhdas *alias* Jani ... ... *Respondent.*

Whereas the petitioner has applied to this Court by a petition dated 22nd July 1950, to be declared an insolvent under the Mysore Insolvency Act VI of 1911, and your name appears in the list of creditors filed by the aforesaid debtor, this is to give you notice that the Court has fixed the 22nd day of September 1950, for the hearing of the aforesaid petition and the examination of the debtor. If you desire to be represented in the matter, you should attend in person or by duly instructed pleader. The particulars of the debt alleged in the petition to be due to you are as follows :—

		Rs. a. p.
Assets	...	Nil
Liabilities	...	1,926 0 0

812

Miscellaneous Application No. 118 *of* 1950-51.

Janaba Peeran Bi, wife of Fakrulla Khan Saheb, Door No. 532, Padarayanagutta, Mysore Road, Bangalore City ... ... *Petitioner.*

vs.

Naik Dastagir Khan, Bangalore City ... *Respondent.*

In the matter of the estate of late Khalander Khan, 827 Sepoy ... ... *Deceased.*

Whereas Janaba Peeran Bi, applicant resident of Bangalore City, claiming to be the successor and mother, of the said Khalander Khan, deceased, has applied to this Court for a certificate under Act VII of 1901, to collect debts payable in respect of the estate of Khalander Khan, deceased, resident of Bangalore.

Notice is hereby given of the said application, and all claimants in the estate of the said Khalander Khan, deceased are invited to appear in this Court on 29th day of September 1950, when the petition of the said Janaba Peeran Bi, the applicant, will be heard, and the right to the certificate will be determined.

Given under my hand and the seal of the Court, this 25—28th day of August 1950.

806

Miscellaneous Application No. 174 *of* 1950-51.

Sm. Puttalaxamma, wife of late H. C. Chendra Setty, No. 41—42, Chowdeswari Temple Street, Bangalore 2 ... ... *Petitioner.*

vs.

Nil ... ... *Respondent.*

In the matter of the estate of Sri H. C. Chendra Setty ... *Deceased.*

Whereas Sm. Puttalaxamma, applicant, resident of Bangalore, claiming to be the successor and wife, of the said H. C. Chendra Setty, deceased, has applied to this Court for a certificate under Act VII of 1901, to collect debts payable in respect of the estate of H. C. Chendra Setty, deceased, resident of Bangalore City.

Notice is hereby given of the said application and all claimants in the estate of the said H. C. Chandra Setty, deceased are invited to appear in this Court on 22nd day of September 1950, when the petition of the said Sm. Puttalaxamma, applicant, will be heard, and the right to the certificate will be determined.

Given under my hand and the seal of the Court, this 25—28th day of August 1950.

807

Miscellaneous Application No. 189—1950-51.

Narayana and others, minors, represented by their next friend and mother Sm. Muddulaxamma, wife of M. P. Muniyappa, 69, Gandhi Bazaar Road, Basavangudi, Bangalore City ... *Petitioners.*

vs.

Sharadamani and another, Bangalore City *Respondents.*

In the matter of the estate of M. P. Muniappa *Deceased.*

Whereas Narayana and others, applicants, residents of Bangalore, claiming to be the successors and sons of the said M. P. Muniappa, deceased, have applied to this Court for a certificate under Act VII of 1901, to collect debts payable in respect of the estate of M. P. Muniappa, deceased, resident of Bangalore City.

Notice is hereby given of the said application and all claimants in the estate of the said M. P. Muniappa, deceased, are invited to appear in this Court on the 8th day of September 1950 when the petition of the said Narayana and others, applicants, will be heard and the right to the certificate will be determined.

Given under my hand and the seal of the Court, this 25/28th day of August 1950.

809

Miscellaneous Application No. 190 *of* 1950-51.

Abdul Hamid Saheb and others, Hardware Merchants, Gundopanth Street, Bangalore City ... *Petitioners.*

vs.

Nil ... ... *Respondents.*

In the matter of the estate of Haji Abdur Rahim Saheb ... ... *Deceased.*

Whereas Abdul Hamid Saheb and others, applicants, residents of Bangalore City, claiming to be the successors and heirs of the said Haji Abdur Rahim Saheb, deceased, has applied to this Court for a certificate under Act VII of 1901, to collect debts payable in respect of the estate of Haji Abdur Rahim Saheb, deceased, resident of Kannamangalam.

Notice is hereby given of the said application and all claimants in the estate of the said Haji Abdur Rahim Saheb, deceased, are invited to appear in this Court on 8th day of September 1950, when the petition of the said Abdul Hamid Saheb and others, applicants, will be heard and the right to the certificate will be determined.

Given under my hand and the seal of the Court, this 25—28th day of August 1950.

M. SADASIVAYYA,
Pl. Sub. Judge.

810

IN THE COURT OF THE MUNSIFF AT CHIKBALLAPUR.

Miscellaneous Application No. 22 *of* 1950-51.

(1) B. N. Subbaiah Setty, son of Nagappa Setty, resident of Bagalur in Jala Hobli, Devanhalli Taluk, (2) Nagaraj, brother of first petitioner, (3) Devaraj, minor by guardian second petitioner ... *Petitioners.*

vs.

Nil ... ... *Respondent.*

In the matter of the estate of Nagappa Setty... *Deceased.*

Whereas (1) B. N. Subbaiah Setty, son of Nagappa Setty, (2) Nagaraj, brother of first petitioner, (3) Devaraj, minor by guardian second petitioner, applicants, residents of Bagalur in Jala Hobli, Devanhalli Taluk, claiming to be the nearest heirs of the said Nagappa Setty, deceased, have applied to this Court for a certificate under Act VII of 1901, to collect debts payable in respect of the estate of Nagappa Setty, deceased, resident of Bagalur in Jala Hobli.

Notice is hereby given of the said application and al the claimants in the estate of the said Nagappa Setty, (who died at Bagalur on 23rd August 1941), deceased, are

invited to appear in this Court on Wednesday the 20th day of September 1950, when the petition of the said B. N. Subbaiah Setty and others, applicant will be heard, and the right to the certificate will be determined.

Given under my hand and the seal of the Court, this 2nd day of August 1950.

C. ABDUL BASITH,
798 *Munsiff.*

IN THE COURT OF THE MUNSIFF AT TIPTUR.

Miscellaneous Case No. 40 *of* 1950-51.

(1) Thimmamma, aged about 85 years, mother of late Sepoy Boraiah, Vokkaligar by caste, (2) Sivananjamma, daughter of late Sepoy Boraiah (granddaughter of 1st petitioner), aged about 10 years, minor by next friend the first petitioner ... *Petitioners.*

vs.

Nil ... ... *Respondent,*

In the matter of the estate of Sepoy Boraiah ... *Deceased.*

Whereas the above petitioners claim to be the successors of Sepoy Boraiah, deceased, and have applied to this Court for a certificate under Section VI of the Mysore Succession Certificate Act, to collect all debts payable in respect of the estate of the said Sepoy Boraiah.

Notice is hereby given of the said application to all claimants in the estate of the said deceased Sepoy Boraiah to appear in this Court on the 22nd day of September 1950, at 11 O'clock when the petition of the said petitioners will be heard and the right to the certificate will be determined with all evidence, oral and documentary, if any.

Given under my hand and the seal of the Court, this 23rd day of August 1950.

B. K. MURUDAPPA,
794 *Munsiff.*

IN THE COURT OF THE MUNSIFF AT HASSAN.

Miscellaneous Case No. 40—1950-51.

Mali Gowda, son of Thimme Gowda, 45 years, Vokkaliga by caste, Agriculture, residing at Hanchihalli, Shantigrama Hobli, Hassan Taluk. ... *Petitioner.*

vs.

(1) Kenge Gowda, son of Yalakki Gowda, 35 years, Agriculture, Vokkaliga by caste, residing at Hanchihally, Shantigrama Hobli, Hassan Taluk, (2) Kari Gowda, son of Hanume Gowda, Vokkaliga by caste, Agriculture, 50 years, residing at Halisanahalli, Shantigrama Hobli, Hassan Taluk, (3) Yalakki Gowda, son of Yalakki Gowda, Agriculture, Vokkaliga by caste, residing at Hanchihalli, Shantigra ma Hobli, Hassan Taluk. *Respondents.*

Application for the appointment of guardian to the person and property of the minors, Mariyamma, aged 12 years, Thimme Gowda, 10 years, and for possession of the wards and schedule properties from the respondents.

The petitioner abovenamed having applied to be appointed as guardian of the persons and property of the aforesaid minors the 8th day of September 1950, has been fixed for the hearing of the application, and notice is hereby given to the effect that if any of the relatives, friends, kinsmen, or well-wishers of the aforesaid minors desire to be appointed as guardian of the persons and property of the minors, they should enter appearance in person in this Court on the aforesaid date and be prepared to adduce on that day, any documentary and oral evidence they may desire to adduce in support of their claims to such appointment.

Given under my hand and the seal of their Court, this 11th day of August 1950.

B. N. RUDRAPPA,
813 *Munsiff.*

IN THE COURT OF THE MUNSIFF AT DAVANGERE.

Miscellaneous Case No. 37 *of* 1950-51.

Sarvakka minor by next friend Mallappa, son of Nagappa, resident of Dogalli in Harihar Taluk.

... ... *Petitioner.*

vs.

Nil ... ... *Respondent.*

The petitioner, abovenamed has applied to be appointed as the guardian of the property of the above said minor, the 8th day of September 1950, has been fixed for the hearing of the application and notice is hereby given to the public that if any other relative, friend, kinsman or well-wisher of the above said minor desire to be appointed as guardian of the person and property of the minor, he should enter appearance in person in this Court on the above said date, and be prepared to adduce on that day any documentary and oral evidence he may desire to adduce in support of his claim to such appointment.

Given under my hand and the seal of the Court, this 23rd day of August 1950.

800

Miscellaneous No. 41 *of* 1950-51.

Pallagatti Channaveerappa, son of Pallagatti Kotrâppa, Merchant, Doddapet, Davangere City.

... ... *Petitioner.*

vs

(1) P. Basavarajappa, (2) P. Gurusiddappa, (3) P. Viswanathappa, (4) P. Sivayogappa all sons of Kotrappa, Merchants, Doddapet, Davangere City ... .. *Respondents.*

In the matter of estate of Pallagatti Kotrappa *Deceased.*

Whereas the petitioner abovenamed, resident of Davangere, claiming to be the son of the said P. Kotrappa deceased, has applied to this Court, for a certificate under Act VII of 1901 to collect debts payable in respect of the estate of P. Kotrappa, deceased resident of Davangere.

Notice is hereby given of the said application, and all claimants in the estate of the said P. Kotrappa, deceased are invited to appear in this Court on the 8th day of September 1950, when the above will be heard and the right to the certificate will be determined.

Given under my hand and the seal of the Court, this 23rd day of August 1950.

R. NAGARAJ,
801 *Munsiff.*

OFFICE OF THE SECRETARY, STORES PURCHASE COMMITTEE, 'UNITED INDIA' BUILDING, BANGALORE.

Dated 19th July 1950.

To

The firms dealing in Apparatus and Glassware.

Enquiry No. 10066.

Gentlemen,

Subject:—Equipment and Glassware required for use in the Chemistry Section of the Agricultural College.

No. S. P. C. 21945-65. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Equipment and Glassware required for use in the Chemistry Section of the Agricultural College" with the above enquiry number.

This enquiry will be closed on the 15th September 1950.

3353

Yours faithfully,
LOUIS DE SOUZA, *Secy., S.P.C.*

SCHEDULE.

		Quantity required.	Prices quoted F.O.R. Bangalore.
1	Analytical balances for the use of students with the following specifications—		
	Capacity—200 gms.		
	Sensitivity—0·1 mg.		
	Beam—either duraluminium or gun metal, pans, chromium plated metal pans. Agate knife edges and bearings, with rider carrier and the whole thing cased in a neat either mahogony or teak case		
	N.B.—The mechanical design should be simple, but without the sacrifice of precision and accuracy. Ref. Specification No. 1–1915. Page 48 of "Modern Laboratory Appliances' of Fischer Scientific Co., or B. 12–740, Page 55 of Chemical Apparatus Cat. No. 15-B. of Griffin and Tatlock., Ltd.	20 Nos.	
2	Balance weights for the above with forceps, camel hair brush and rider preferably fitted in a suitable wooden box. Set of weights from 1 mg. to 100 gms. Ref.—Specification No. 2–265 of Modern Laboratory Appliances or B. 155 (page 93) of Griffin and Tatlock, Ltd.	20 sets	
3	Analytical balance, chain action Oertling No. 48/G. capacity 200 gms. sensitivity O.1. mg. Ref:—Page No. 41 of George and Becker abridged Cat. No. 25A (Specification No. A585.)	2 sets	
4	Balance weights, Oertling grade I. Set of 1 mg. to 100 gms. Specification No. A. 719 of the above Cat. (P. No. 48.)	2 sets	
5	Assay Balance, Oertling No. 50A, capacity 2 gms. sensitivity, 0·002 mg. Specification No. A6019 (P. 43) of the above Cat.	1	
6	Assay Weights Oertling 1 gm. set. Spn. No. A. 6036 P. 50 do do	1 set	
7	Aluminium weighing Scoops length 90 mm., Spn. A. 685. (P. 47) do do	50	
8	Specific gravity balance. Westphal for determining specific gravity of all liquids up to a maximum density of 2·0999 to the fourth decimal place, with the set of riders, forceps, thermometer, solution jar, etc., in wooden case and with instructions for use. Ref. B. 12-555, page 42 of Griffin and Tatlock (Cat. No. 15 B).	4	
9	Counter scales, Beranger Pattern, with two removeable flat procelain pans with four supports (to carry 2 kilos). dia. of pan 15 cms. Ref. B. 12–525, P. 40 of the above Cat.	4	
10	Balance precision, with the following specifications, capacity–5 kilos. Sensitivity -0-1 g.m. dia. of pans. 22 cms. Base 70×35 cm. on polished wooden base. Ref. B. 12–695. P. 51 of the above Cat.	4	
11	Soil sampler—1-7/8 dia. 9" long; Total Length 27". Ref. 5426 P. 664 of VIII Edn. of Cat. of M/s. Gallen Kemp, Co., Ltd.	12	
12	Do Portable with screw coupling 2" dia. 13" long, with ring 9" from bottom. Ref. 5426 of the above Cat.	12	
13	Do of cast steel with cutting edge for driving into soil. Internal dimensions; 6×6×9 inches complete with wooden cover. Ref. No. 5428 a P. No. 645 of the above Cat.	3	
14	Soil Sampler (Sectional) of steel, for use where depth of sample is to be sub-divided in Laboratory size 3×3×6 inches. Ref. No. 5428c of the above Cat.	6	
15	Sectional soil sampler consisting of 4 steel plates and angle iron frames for use where horizontal depth slizes of soil are to be taken. Size 9×9×12 inches, complete with flat scoop. Ref. N. 5428c of the above Cat...	3	
16	Earth borer, Gruner's with anvil and handle and a metre long. Ref. No. 5430 do	12	
17	Soil Auger; 1 3/8" dia. 36" total length, with extra 3' extension rod with soil plate 12" in dia. for use where top soil is loose and dry, complete with spoons for removing loose soil. Ref. No. 5427A Do	6	
18	Soil Auger, for boring holes up to 3' deep dia. 9". Ref. Do	3	
19	Sieves for soil analysis, rims of polished spun brass, with perforated sheet brass bottom dia. 8". Ref. No. X5432 Do	12 sets.	
20	Grinding Mill. Merckers. The grinders are a cast steel mortar with ribbed bottom 15 cm. dia. and a pestle 8-1/2 cm. dia., fixed eccentrically. Ref. X. 5430 L. Do.	2	
21	Water capacity apparatus for soils (Wahnschaffer's) consisting of bell jar, glass basin and 8 zinc tubes with perforated bottoms. Ref. No. 5449 Do	12 sets.	
22	B.D.H. Soil Testing Outfit. Complete with special porcelain boat spatula and a bottle of soil B.D.H. indicator in card box	40 sets	
	Do. Spares. 1. B.D.H. Soil indicator bottles	40	
	2. Spare porcelain boats	40	
	3. Spare spatula	40	
23	Apparatus for measuring cohesion in soils, consisting of stand and funnel, lever arm, with pointer and reading mirror, soil container, etc., Ref. No. D.A. 42 Page 2056, section XXVI of Baird and Tatlock Cat. VIII Edition	2	
24	Spare containers for the above apparatus, capacity 1100 ml. Ref. D.A. 45 Do	12	
25	Apparatus for packing soil in the above special containers consisting of stand with pulleys and plunger for packing the soil. Ref. No. D.A. 47 Do	10	

		Quantity required.	Prices quoted F.O.R. Bangalore.
26	Absorption apparatus, consisting ofa water tight wooden box, with water proofed and with air tight fitting cover. Ref. No. D.A. 50, page 2056, Section XXVI of Baird and Tatlock Cat. VIII Edition	2	...
27	Soil boxes for use with the above, Ref. D.A. 51 Do	2	...
28	Soil Aspirator, with graduated bottle on stand and zinc cylinder on Iron Pole. Ref. D.A. 52	8	...
29	Flugge's cylinder for determining the volume of pores in soils, Ref. D.A. 54 Do ...	6	...
30	Apparatus for measuring the changes in soil volume, Ref. DA. 58 Do ...	8	...
31	Evaporimeter for measuring the amount of water evaporated from soils, etc., Ref. AC. 60 Do	3	...
32	Dilatometer for soil work as supplied to Poona Agrl. College, Ref. No. DA. 62 ...	12	...
33	Heinrich's Apparatus for determining permeability of the soil, with bottles of 10 litres capacity, iron box, etc., Ref. DA. 70	4	...
34	Apparatus for estimating the capillary attraction of soils, tubes, numbered and graduated, provided for 10 estimations, Ref. No. DA. 72	3	...
35	Apparatus for collecting soil air, with complete equipment. Ref. No. DA. 76 Do ...	4	...
36	Test tubes, heavy wall, for use with the above, Ref. No. D. 77 Do ...	144	...
37	Soil Elutriation apparatus on stand with water reservoir, Ref. DA. 104 Do ...	4	...
38	Apparatus for Standard Physical test on soils, Ref. No. DA. 129 ...	4	...
39	Weigner's sedimentation apparatus, DA. No. 106	4	...
40	Centrifuge, Gerber's electrically driven, mounted on vertical universal motor, with speed indicator (for 24 tests.) Ref. No. DA. 494 (p. 2082)	1	...
	ACCESSORIES.		
	(*a*) Gerber's tubes for centrifuges, round bore with screw neck without rubber cork scaled to 8 per cent Ref. DA. 504	24	...
	(*b*) Do Do spares	144	...
	(*c*) Rubber corks for the above, double conical. Ref. DA. 522	48	...
	(*d*) Brushes for cleaning the Gerber's tubes. Ref. DA. 524	24	...
	(*e*) Pippettes for alcohol ; 1 ml. Ref. DA. 500 Do	144	...
	(*f*) Pippettes for acid ; 10 ml. Ref. DA. 534, Do	144	...
	(*g*) Pippettes for milk ; 11 ml. Ref. DA. 536, Do	144	...
	(*h*) Stand for tubes to hold 24 tubes, Ref. DA. 538 Do	12	...
	(*i*) Thermometer for the water bath ; 32-22°F. Ref. DA. 554. Do ...	6	...
	(*j*) Water bath of copper for Butyrometer tubes heated by electricity with rheostat. Ref. DA. 550 Do	4	...
41	Shaker, end over end, to carry eight 1 litre bottles (Ref. D.A. 120) fitted in wheel the rim of which serves as pulley drive. Ref. 156 Do Page 2063 ...	2	...
42	1/4 H.P. Motors for the above for alternating current	2	...
43	Shaking bottles for the above; 1 litre capacity with India Rubber bungs. Ref. DA. 120 Do *vide* item 41.	200	...
44	Wagner shaking apparatus for ten bottles of 1 litre capacity each. Ref. DA. 9914b. P. 532=XI Edition of M/s. Gallenkamp Cat.	2	...
45	1/8 H.P. A.C. Motors for the above	2	...
46	The 'Ottine' shaking machine for sieves complete with motor. Ref. No. Sc. 3016 Page No. 3524, Section II, XVI Edition of Baird and Tatlock Cat. ...	1	...
47	Rheostat for the above. Ref. No. Sc. 3017 Do	1	...
48	Laboratory shaker with board to take two bottles of shy size in pairs, etc., Ref. No. 9104b—Page 531. XI Edition of Gallenkamp Cat.	1	...
49	Laboratory Stirrer, incorporating Universal A.C.D.C. Motor for 200 to 400 volts, driving detachable stainless steel stirrer length 9", supported on a stand and arrangement for speed control Ref. No. 6225 of Abridged Cat. No. 25A. Edition (page No. 235) of George and Becker	2	...
50	Ovens, hot air, electric, with adjustable automatic control for operation at any temperature from 50°C. to 250°C. switches, etc., (copper throughout) 20×20×20 inches in size Ref. No. A1665 (page 206) do	2	...
51	Laboratory Stop-Watches, 6.5 cm. dia. Ref. No. C. 11394 (page No. 60) XI Edition of Gallenkamp Cat.	24	...
52	Lactometers in case with glass tube and instructions for use, Ref. D.A. 352 Section XXVI, edition, VIII (page 2076) of Baird and Tatlock Cat.	48	...
53	Brix Hydrometer (Glass) with thermometer enclosed in the following ranges ; 12" long 0° to 30°, 30° to 60°, 60° to 90°. Ref. Sc. 5363. Section III, XVI Edition. (Page No. 538) of Baird and Tatlock Cat.	12 each	...
54	Specific Gravity Hydrometers 12" long standard quality cylindrical bulb in tin cases Ref. Sc. 5338 do	23×3	...
55	Hydrometer Jars, Winklers, clear glass with over-flow top height 20" and dia. 2". Ref. Sc. 5499, page 545 do	100	...
56	Measuring cylinders 25 c.c. capacity with spout Ref. No. Sc. 5046 do ...	100	...
57	Measuring cylinders 100 c.c. capacity with stopper Ref. No. Sc. 5047 do ...	100	...
58	Specific Gravity bottles of 100 c.c. capacity Ref. No. S.C. 5047 do ...	100	...
59	Weighing bottles ; squat form, Ref. No. D.A. 127, Section XXVI, VIII Edition, (Page 2060) do	100	...
60	Pipettes with long stem and fitted with three way tap for measuring 20 ml. of suspension to use with D.A. 129. Ref. D.A. 142 do	6	...
61	Pipettes with long stem (at least 12 cms. long below the bulb) to measure 20 ml. Ref. nil.	100	...
62	One litre measuring cylinders, stoppered Ref. D.A. 121 of Baird and Tatlock Cat. Page 2061, Section XXVI, VIII Edition	100	...

		Quantity required	Prices quoted F.O.R. Bangalore.
63	Sieves, 70 Mesh, I.M.M. 3½″ dia. with lower rim tappered to 2½″ to fit in top cylinder Ref. D.A. 144, (Page 2062) do	50	...
64	Glass Cylinders with sole and rim 40×6·5 cm. with a mark at 1000 ml. Ref. No. D.A. 134, do	100	...
65	Rubber discs, soft ½ cm. thick to fit the tops of the cylinders Ref. No. D.A. 138 do ...	100	...
66	Brass cup 5 cms. in dia. and 1 cm. in-height, with perforated bottom. Ref. No. B. 10239, XI Edition, page 1489, of Gallenkamp Cat	50	...
67	2mm. round hole sieves for mechanical analysis of soils Ref. No. B. 19238 (Page 1469) do	500	...
68	Digestion stands, Kjeldahl, electrical heated, made of asbestos compound sheeting mounted on angles iron frames, etc., 6 heaters 220 volts Ref. No. A. 3128, page 201 Abridged Cat. No. 25A. of George and Becker	4	...
69	Digestion Stands, Kjeldahl, gas heated, with provision for heating 6 flasks Ref. No. A. 3125 do	2	...
70	Distillation Units, Kjeldahl, electrically heated, specification as per A. 3124 above, but with addition of condenser tank with glassware 6 heaters 220 volts. Ref. No. A. 3125-2 do	4	...
71	Distillation Units, Kjeldahl, gas heated, for 6 flasks, with glassware Ref. No. 3119-2 do.	2	...
72	Ovens, hot water multiple gas heated copper double jacketed with gauge, with two tubulures, and one shelf adjustment for height complete with iron stand dimensions 10×10×10 inches. Number of compartments 6 Ref. No. A. 1653, page 209 do	1	...
73	Ovens, hot water electric heavy copper, with water guage, with two tubulures, adjustable shelf, and ventilator at bottom, complete with 3 heat switch, etc., size 12×12×12 maximum loading watts 150 for 220 volt circuit Ref. No. A. 1659, Abridged Edition No. XXV, page 209 of George and Becker Cat.	1	...
74	Distilled water automatic still, electrically heated output 3 litres per hour 220 volts. A.C. Ref. No. A. 3769, page 232 do	2	...
75	Distilled water still, gas heated, output 3 litres per hour complete with burners Ref. No. A. 3769 do	1	...
76	Muffle furnace, electrically heated. internal dimensions 8″ depth, 5′ width, 3½′ height, for 220 volts circuit Ref. A 2389, Page 162, Abridged Edition No. 25A, of George and Becker	6	...
77	Muffle furnace, gas-heated do Ref. A. 7390 do	6	...
78	Refractometer for oil and sugar industries, Refractive indices ranging from 1·330 to 1·540, with arrangement for both percentage reading and refractive indices ...	1	...
79	Refractometer, pocket type, reading percentage of soluble solids of sugar solutions from 0.25 per cent, in leather case Ref. No. D. 16028, Page 998, do ...	12	...
80	Refractometer, hand type, for sugar, for field use enabling rapid determination of dry substances of growing sugarcane, etc., Ref. No. D. 16030 do ...	6	...
81	New Hellige comparator with non-feding standard colour glass plates for the determination of hydrogen-ion concentration. Comparator consisting of metal case, troughs, etc., without colour discs or support Ref. No. Pc. 1560, page 799, section VI-II Edition Cat. of Biard and Tatlock	2	...
82	Strong metal support for the above Ref. Pc. 1561 do	3	...
83	Standard colour discs including colour discs for determination of hydrogen-ion concentration and colour discs for special quantitative colorimetric analysis, etc., Ref. Pc. 1562 do	3	...
84	Comparator accessories. Tubuler comparator lamp serving as light source when discs are used in artificial illumination for 220 volts A. C. Ref. Pc. 1564, page 799, section VI-II Edition Cat. of Biard and Tatlock	3	...
85	Trough, acid proof, of mirror glass with plane parallel walls, 13 mm. liquid depth. Ref. Pc. 1565 page 799, section VI-II Edition Cat. of Biard and Tatlock ...	3	...
86	Test-tube, round with marks at 5 to 10 ml. Ref. Pc. 1567 page 799, section VI-II Edition Cat. of Biard and Tatlock	24	...
87	Frosted glass plate, white Ref. Pc. 1568 page 799, section VI-II Edition Cat. of Biard and Tatlock	12	...
88	Frosted glass plate, blue, Ref. Pc. 1569 page 799, section VI-II Edition Catalogue of Biard and Tatlock	12	...
89	Pipette for measuring the indicator solutions with marks; 0·2, 0·25, and 1·0 ml. Ref. Pc. 1570, page 799, section VI-II Edition Catalogue of Biard and Tatlock ...	12	...
90	Complete Dubosecq colorimeter with sedium light, and with one grey plate in a holder for monochromatical colorimetry and turbidity, monted, on a very strong stand, switching devices, series resistances, etc., ready to be connected up, to the lighting circuit. (Ref. No. Pc. 1454, page 799, section VI-II Edition Catalogue of Biard and Tatlock)	1	...

GLASSWARE, ETC.

1	Basins (Glass) crystallising with lip; capacity	100 ml. ...	... 150	...
2	Do do	250 ,, ...	... 150	...
3	Basins (Glass Evaporating R.B. (with spout) Capacity	150 ,, ...	... 150	...
4	Do flat bottomed do	150 ,, ...	... 150	...
5	Do do do	300 ,, ...	... 150	...
6	Basins (Porcelain) Evaporating, with spout Capacity	150 ,, ...	... 150	...
7	Do do	300 ,, ...	... 150	...
8	Do (unglazed outside on base)	500 ,, ...	... 250	...
9	Do do	1000 ,, ...	... 150	...
10	Do do	2000 ,, ...	... 12	...
11	Do do	3000 ,, ...	... 12	...
12	Do Flat form	300 ,, ...	... 150	...

		Quantity required	Prices quo F. O. R. Bangalor
13	Casseroles, with lip and handle capacity 300 ml.	50	...
14	Basins (Silica) R. B. „ 50 „	100	...
15	Do Flat bottomed with vertical sides used for ashing dia. 3″ ...	150	...
16	Basins (Nickel) R. B. with spout (Set consisting of basins of the following capacities: 50 ml. 100 ml. 150 ml. 200 ml. and 250 ml.	12 sets	...
17	Basins (Nickel) for sugar estimation; dia. 75 m.m. capacity approximately; 100 ml. ...	50	...
18	Copper basins (with lip) for oil bath, etc., capacity 1000 ml.	12	...
19	Dishes flat bottomed with close fitting cover (Nickel) for moisture determinations; size dia. 60 m.m. × depth 16 m.m.	100	...
20	Dishes flat bottomed with close fitting cover (Nickel) for moisture determinations; size dia. 90 m.m. × depth 16 m.m.	100	...
21	Beakers; (conical) capacity; 300 ml.	500	...
22	Do 600 „	500	...
23	Beakers, low form with spout (resistance glass) 50 c.c.	500	...
24	Do do 100 „	500	...
25	Do do 150 „	500	...
26	Do do 250 „	500	...
27	Do do 400 „	500	...
28	Do do 600 „	500	...
29	Do do 800 „	500	...
30	Do Capacity 1000 ml.	250	...
31	Do do 1500 „	100	...
32	Do do 2000 „	100	...
33	Beakers, tall form (with lip) (resistance glass) capacity 50 „	100	...
34	Beakers, tall form with lip (resistance glass) capacity 100 „	250	...
35	Do do 150 „	250	...
36	Do do 250 „	250	...
37	Do do 400 „	250	...
38	Do do 600 „	250	...
39	Do do 900 „	250	...
40	Do do 1000 „	250	...
41	Do do 1500 „	100	...
42	Do do 2000 „	50	...
43	Bellows, foot with hemispherical metal cover to diaphragm without feet (Ref. A999, Page 72, abridged edition 25A of George and Becker Catalogue) ...	1	...
44	Blowing bellows, double black rubber, with bulb to equalise the pressure covered by protective net dia. of net bulb 7-5 c.m. (Ref. A. 1002, page 73, abridged edition 25A of George and Becker Catalogue)	12	...
45	Blowpipe hand, for general laboratory work with single control for air and gas, (Ref. A. 10–17, page 74 of abridged edition 25A of George and Becker Catalogue) ...	1	...
46	Blowpipes mount, plain form (Ref. A. 1027, page 73 of abridged edition 25A of George and Becker Catalogue)	100	...
47	Blowpipe head, operated by blowing ball converting an ordinary Bunsen into a small blowpipe for Bunsens of size: 7/16, 5/8, and 3/4 inches. (Ref. A. 1008 as above)...	1 for each size	...
48	Cobalt blue glass plates for flame coloration	100	...
49	Combustion boats with handle and one end rounded. (Fire Clay), size 76×1×10 mm.	24	...
50	Bottles, reagent, narrow-mouthed, flat stoppered capacity 60 ml. ...	50	...
51	Do „ 125 „ ...	100	...
52	Do „ 250 „ ...	100	...
53	Do „ 500 „ ...	50	...
54	Do „ 1 litre ..	12	...
55	Do „ 3 litres ...	24	...
56	Do with top for stock solutions 5 „ ...	12	...
57	Bottles meant for alkalis, etc., capacity 250 ml. (Ref. No. 2272 Gallen Kamp Co., Catalogue, XI Edn.)	25	...
58	Amber glass narrow mouthed bottles, capacity 250 ml.	50	...
59	Reagent bottles wide mouthed plain with flat stopper, capacity 125 ml. ...	50	...
60	Do do 250 ml. ...	50	...
61	Bottles, dropping, amber-glass; (Ref. No. 2479 of Gallen Kamp Co., XI Edn. Catalogue) 125 ml.	50	...
62	Wolff's Bottles capacity 1000 ml. (Ref. A. 4327, page 88 of abridged Edn. 25A of George and Becker Catalogue)	2	...
63	Brushes for test tubes: 1-1/2″ diameter	100	...
64	Burette Brushes: 5×1 inch	25	...
65	Brushes for beaker, bottle cylinder, etc., 5×3 inches	50	...
66	Brushes camel hair quill handle brush, length 2″	12	...
67	Burners, gas, with air and gas regulation dia. 7/16″ overall height 5 1/2 inches (Ref. A. 1175 Page 90 abridged edition 25A of George and Becker Catalogue) ...	100	...
68	Burner, Teclu, Tube dia. 1/2″ (Ref. A. 1152-2, Page 91 abridged edition 25A of George and Becker Catalogue)	12	...
69	Burner, Teclu, Tube dia. 5/8″	6	...
70	Do 3/4″	6	...
71	Burner Mecker type; diameter of bend; 3/4″ (Ref. A. 1162 of the above Catalogue) ...	6	...
72	Bunsen Burner with flame spreader; 4 inches wide. (Ref. A. 6084 of the above Catalogue)	4	...
73	Spirit Burners, capacity 4 ozs.	12	...
74	Carboy pourer; (Ref. 1308-3, page 100, abridged edition 25A of George and Becker Catalogue)	1	...

		Quantity required	Prices quoted F. O. R. Bangalore
75	Clamps and Boss heads to take tubes 2 1/2" in diameter and rod 1/2" thick (Ref. A. 1370 and 1366 of the above Catalogue)	100	...
76	Clamp condenser, oxidised brass complete with boss head (Ref. A. 1365 of the above Catalogue)	25	...
77	Clamp double, with fixed hose and two jaws on swivel ...	25	...
78	Clips, Mohr, nickel plated brass (Ref. A. 1372 do)	100	...
79	Clips, with hinged bar (screw nickel plated) (A. 1374 do) ...	100	..
80	Condensers, Heat resistance glass, body length in 20, 30, 50 and 75 ohms (2 of each size)	8	...
81	Distilling Flasks (R.B.) resistance glass capacity, 250, 500, 750 and 1,000 ml. (3 of each size)	12	...
82	Receiving flasks, round bottomed capacity 250 and 500 ml. (8 of each size) ...	12	...
83	Distillation apparatus with ground glass joints with—		
	1. Condenser : 50 cms. long		...
	2. Round bottomed pyrex glass capacity 250 and 500 ml.		...
	3. Distilling heads with thermometer		...
	4. Lubuluse (Ref. A. 6156-2, page 128 of George and Becker Catalogue) ...	2 sets	...
	5. Do for use with vertical condenser (Ref. A. 6156-3 do). ...		...
	6. Distillate receiver		...
84	Cork boring machine complete with nickel plated borers (Ref. A. 1457, P. 113 of George and Becker, Abridged Edn. 25A)	1	...
85	Cork squeezer, iron, Ref. A. 1465 do	1	...
86	Corks, bark, assorted sizes, range die, of narrow and 3/16" to 2 inches (Ref. Table Page No. 114 do)	4 gross	...
87	Corks, rubber, assorted sizes, range dia. of narrow end, 3/16" to 2 inches short form... (Ref. ditto as in 86). Tall farm	½ gross ½ gross	... ...
88	Bungs and shives, bark, assorted sizes, range dia. of narrow and 1 to 4" (Ref. page 115 (table page) of g and b. Catalogue, abridged edition 25A.)	3 doz.	...
89	Bungs, rubber, tall and short form, assorted sizes as above, (Ref. same as above) ...	3 doz.	...
90	Crucibles, Porcelain, squat form with cover, capacity 50 ml. (Ref. A. 1486 of above Catalogue)	100	...
91	Do capacity, 100 ml.	100	...
92	Crucibles. silica, broad base, capacity, 50 ml. (Ref. A. 1528, page 117 of the above Cat.)	50	...
93	Do conical, (Ref. A. 1535 do)	50	...
94	Do Gooch, (Porcelain) capacity, 25 ml. (Ref. A. 1498, page 120 of the above Cat.)	100	...
95	Crucibles, pyrex brand, with sintered discs filter porosite No. 1 to 4 dia. 31 mm. depth 44 mm. disc. dia. 22 mm. (Ref. 6144-1 as above)	24	...
96	Funnels to fit the above crucibles (glass holders with rubber cork) ...	12	...
97	Rubber rings for the above	12	...
98	Dessicators, Schebler pattern with plates, diameter inside 6 inches (Ref. A. 1577, page 124 as in 92)	50	...
99	Do with tubulure cover and ground in stop cock, dia. inside 6" (Ref. A. 1585 as above)	6	...
100	Dessicators Cabinet with one compartment (Ref. A. 5151-1 as above) ...	1	...
101	Soxhlet extraction apparatus complete with extractor, condenser and three flat bottom extraction flasks capacity. Extractor 60, flask 100 ml. (Ref. A. 1888 of the above Catalogue)	6 sets	...
102	Extraction heaters, electrically heated, water bath of stout copper, with constant level, etc., with provision for three extractors (Ref. A. 1920, P. 133 of the above Catalogue)	1	...
103	File for glass cutting, etc.	2	...
104	Filter paper whatman No. 2 (Quality). Cut Circles ; 9 cm. diameter ...	1000	...
105	Do do No. 5 ...	1000	...
106	Whatman filter paper No. 540 (ashless) cut circles ; 9 cm. diameter ...	1000	...
107	Glass filter pumps ; size 6" for attachment to tape (University College pattern). (Ref. B. 43-750 of Griffin and Tatlock Catalogue 15B)	6	...
108	Flasks, washing, fitted with rubber bungs and (wash bottles tubings, capacity 1 litre.)	100	...
109	Flasks, washing, fitted with ground stopper and tubes ; capacity 1 litre ...	24	...
110	Washing bottles automatic valves fitted with rubber bung and tubes ; 1 litre capacity.	6	...
111	Flasks, Erlenmeyer, narrow mouth hard glass :—Cap. 50 ml. ...	250	...
112	Do do Capacity 100 ml. ...	500	...
113	Do do ,, 150 ml. ...	500	...
114	Do do ,, 200 ml. ...	250	...
115	Do do ,, 250 ml. ...	250	...
116	Do do ,, 300 ml. ...	500	...
117	Do do ,, 500 ml. ...	250	...
118	Do do ,, 750 ml. ...	250	...
119	Do do ,, 1000 ml. ...	100	...
120	Do do ,, 2500 ml. ...	50	...
121	Do do ,, 2000 ml. ...	25	...
122	Do do ,, 3000 ml. ...	12	...

		Quantity required	Prices quoted F. O. R. Bangalore
123	Kjeldehl's digestion flasks R. B. capacity 250 ml.	100	...
124	Do do 500 ml.	100	...
125	Filter flasks, resistance glass; capacity 500 ml.	100	...
126	Do do 750 ml.	50	...
127	Do do 1000 ml.	25	...
128	Do do 2000 ml.	8	...
129	Funnels, glass, 60° angle with stem ground at 45° dia. 10 cms.	250	...
130	Do do 18 cms.	100	...
131	Do do 5 cms.	250	...
132	Funnels fluted with long capillary stem pyrex brand, dia. 9 cms.	12	...
133	Funnels Buchner porcelain to take filter paper of 9 cms. diameter	12	...
134	Do do 18·5 cms. dia.	6	...
135	Funnels, Hirsch, Porcelain, dia. at top; 13·5 cms.	6	...
136	Burners hot water, for heating ring burner with glass funnel and rubber stopper, with burners ring. Glass funnel dia.; 12-5 cms. (Ref. A. 2297 and A. 2297-1 of page 157 abridged edition 25A of George and Becker Cat.) ...	1	...
137	Separating funnels stoppered pear shaped graduated soda glass of capacity 250 and 500 ml. (2 of each)	4	...
138	Thistle funnels one bulb, stem length, 12 cms.	6	...
139	Do do 8 cms.	6	...
140	Kipp Gas Generator with ground in stop cock. capacity lower compartment, 1250 ml. and middle compartment; 1000 ml. (Ref. A. 2605-2, page 174, abridged edition 25A of George and Becker Catalogue)	2	...
141	Manometer, Bannort, mounted on board, complete with mercury (Ref. A. 6182 of the above Cat.)	1	...
142	Wire gauges, iron with asbestos centre, cut in square size, 6×6 inches 10 mesh. ...	100	...
143	Glass cutting knife in wood handle	2	...
144	Glass marking pencils, yellow	100	...
145	Glass writing ink	20 box	...
146	Hot plate, gas heated, (Ref. A. 2762, page 180 Edn. 25A of George and Becker Cat.)...	1	...
147	Hot plate, electrically heated with 3 heat switch and spare elements (Ref. A. 2765-2 P. 181 of the above Cat.)	1	...
148	Glass Jars, rectangular, size; 15″ height ×10″ length × 6″ breadth	1	...
149	Glass Jars, round straight sides, 2 litre capacity	2	...
150	Labels gummed, size 2½×¾″	600	...
151	Do 3×2″	600	...
152	Labels, titled with formula of common reagents (Ref. complete list on page 190, abridged edition 25A of George and Becker Cat.)	1 complete set	...
153	Automatic measurers; capacity, 10 ml. and 25 ml. (Ref. A. 2741 of the above Cat.) ...	2	...
154	Mortar and Pestle Agate. dia. of mortar; 2½″ (Ref. 3071 of the above Catalogue) ...	1	...
155	Mortar and Pestle Agate, Porcelain, with lip mortar diameter 9″ ...	6	...
156	Do do 13″ ...	6	...
157	Mortar and Pestle Agate, Porcelain, with lip mortar dia. 6·5″ ...	6	...
158	Do Iron bowl shape with lip mortar dia. 8 inches.	2	...
159	Retort rings complete with boss head, external (malleable iron), diameter ranging from 2-6 inches. (Ref. A. 3736-11 of George and Becker Cat., 25A abridged edition).	12	...
160	Scissors, Laboratory, 7 inches long, nicket plated	2	...
161	Spatula, steel in wood handle, blade length 2″.	50	...
162	Siphon, glass, with suction tube, etc., with stop cock. (Ref. A. 3862 of Edn. 25A of George and Becker Cat.).	1	...
163	Pykonometer, Capacity 10 ml. (Ref. A. 3650 of the above Cat.). ...	1	...
164	Stands, funnel, double wooden with Box wood (A. 3712 funnel) ...	50	...
165	Stands Laboratory, flat base 22″ rod length, A. 3723.	50	...
166	Do Tripod 22″ „ A. 3725.	12	...
167	Test tube stands, with pegs holding 10 test tubes	60	...
168	Tripod-stand iron rectangular, Height 7″ × side 5″.	25	...
169	Do iron circular height 8″ × dia. 6″.	25	...
170	Stop cocks, straight bore, overall length 6″ bore range, 2—10 mm. ...	24	...
171	Three way stop cocks, three arms with T-Bore in the key	12	...
172	Test tubes, ordinary glass, length 3″ dia. 3/8″.	5 gross	...
173	Do 4″ dia. 1/2″.	2 gross	...
174	Do resistance glass length 4″ dia. ½″	2 gross	...
175	Test tube holders, wood with steel coil spring.	100	...
176	Thermometers, Laboratory, approximate length 30 c.m. range; 0–360°C. ...	12	...
177	Thermometer, even, or incubator, range 0°—360°C. Approximate length 30 cms. ...	4	...
178	Thermometers, standard D. S. Joint, for use with ground glass joint distillation apparatus.	2	...
179	Wall thermometers, boxwood scale, centigrade and farneheit scales ...	2	...
180	Thermometer combined maximum and minimum, boxwood scale. ...	1	...
181	Tiles, Porcelain, Square glazed, size 6″	24	...
182	Do (spotting plates) with cavities-six cavities, size 6 inches ...	43	...
183	Tongs, nickel, with bow, length 6 inches.	50	...
184	Triangles, pipe clay, side length, 5 cms.	100	...
185	Do do 8 cms.	100	...
186	Triangles, iron, side length, 3 inches.	100	...

		Quantity required	Prices quoted F. O. R. Bangalore
187	Tubes, three way T- Shape, approximate arm length, 40 mm- external dia- 6 mm- ...	12	...
188	Do Y- Shape, do ...	12	...
189	Glass tubing, soft glass, 6 mm. diameter.	1 lb.	...
190	Do External dia. 8 m-m.	2 lbs.	...
191	Do do 10 m-m.	2 lbs.	...
192	Glass tubing (resistance glass) 6 m.m.	1 „	...
193	Do 8 m-m.	1 „	...
194	Do do 10 m.m.	1 „	...
195	Glass rod. dia. 4, 6, 8 and 10 m.m. (O lbs each)	1 „	...
196	Rubber tubing, midium wall bore dia. 5 m.m.	50 ft.	...
197	Do do 7 m.m.	50 „	...
198	Do do 9 m.m	100 „	...
199	Rubber tubing, pressure, bore diameter 9 m-m.	50 „	...
200	Do do 5 m.m.	25 „	...
201	Burettes, Standard grade, plain tubes with straight stop cock, capacity, 50 ml. divisions; O.I. ml.	100	...
202	Burettes, with angle stop cock, capacity 50 ml. division O. 1 ml- ...	6	...
203	Burettes with two-way stop cock, capacity 50 ml. divisions	4	...
204	Burettes, automatic, with overhead fitting tube and angle stop cock, complete with bottle, metal clamp, rubber stopper and blowing ball, capacity of bottles 10 litres and capacity of burette 50 ml.; divisions O.I. ml. (Ref. A. 6251 270 abridged edition, 25A of George and Becker Cat.)	1	...
205	Measuring cylinders, unstoppered with lip capacity 50 ml. Division : O.I. ml. capacity	50	...
206	Do do 100 ml. do	100	...
207	Do do 500 .ml. division 5 ml.	6	...
208	Do 1000 ml. division 10 ml. ...	100	...
209	Measuring flasks, stoppered, cap. 50 ml.	50	...
210	Do 100 ml.	100	...
211	Do 200 ml.	12	...
212	Do 250 ml.	100	...
213	Do 300 ml.	6	...
214	Do 500 ml.	6	...
215	Do 1000 ml.	4	...
216	Do 2000 ml.	2	...
217	Measuring flasks, unstoppered with two marks for sugar work, marked 100 ml. and 110 ml.	34	...
218	Pipettes, with safety bulbs, capacity 5 ml.	24	...
219	Do 10 ml.	100	...
220	Do 25 ml.	100	...
221	Pipettes, capacity, 50 ml.	12	...
222	Pipettes, capillary, graduated cap. 1 ml.	6	...
223	Do 2 ml.	6	...
224	Capillary tubes, graduated in cms. 75 cms. long.	100	...
225	Watch-glass, round edges, dia. 6 cms.	200	...
226	Do 12 cms.	200	...
227	Do 9 cms.	200	...
228	Do 18 cms.	200	...
229	Do 24 cms.	12	...
230	Do 60 cms.	12	...
231	Water baths, Rectangular dia. of holes; 10 cms., 12 holes., overall dimensions in top 22-1/2″×17″ electrically heated; (Ref. A. 900-3, P. 66, Edn. 25A. of George and Becker Cat.)	2	...
232	Water baths. Rectangular dia. of holes; 10 cms., 12 holes, overall dimensions on top 22-1/2″×17″ Gas heated (Ref. A900—of the above Cat.) ...	1	...
233	Bath, sand, gas heated, overall dimensions, 20-1/2″ x 12-1/2″x6″. (Ref. A. 6055 of George and Becker Cat. Edition 25A.)	1	...
234	Bath, sand, elesically heated, overall dimensions, 20-1/2″x 12-1/2″x6″. Electrically heated with copper tray (Ref. A. 6056—2 of the above Cat.). ...	1	...
235	Platinum ware. 1. Basin with foil capacity 50 ml.	6	...
	2. Crucibles with lid cap. 30 ml.	6	...
	3. Crucible triangle, side 5 cm.	6	...
	4. Spatula, length 8 cms.	6	...
236	Polarimeter, Hilger's for students' use, with accessories (Ref. No. 15967, P. 991 of the gallen camp catalogue XI Edition	2	...
237	Furniture for balance room—	...	...
	(a) Side shelf 100′ long. and 2 ft. (broad to place the balance)	...	...
	(b) Stools (Laboratory 28 inches in height (Ref. B. 10-600, page 12 of Griffin and Tatlock Chemical apparatus catalogue No. 15B)	36	...
238	Polarimeter, Hilger's Barfit, with complete accessories (Ref. No. 15970, P. 992 of XI Edition of Gollenkamp Cat.)	1	...

N.B.—1. Firm prices will be preferred.
2. Sales Tax should be separately quoted.
3. The quotations will be opened at 12 NOON on the next working day after the closing date.

Dated 23rd August 1950.

To

The Firms dealing in Workshop Machinery.

Enquiry No. 10114.

Subject :—Workshop Machinery for Lakkavalli Reservoir Construction Division, Lakkavalli.

Gentlemen,

No. S.P.C. 25701-721. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Workshop Machinery for Lakkavalli Reservoir Construction Division, Lakkavalli" with the above enquiry number.

This enquiry will be closed on the 20th September 1950.

The quotations will be opened at 12 NOON on the next working day after the closing date.

SCHEDULE.

	Quantity required	Price quoted F.O.R.
1. Portable Electric Drills—		
Drilling capacity in mild steel ¾". Motor to work on 400/440 volts, 50 cycles A.C. supply.	.....	.....
One Set Morse Taper drills, size ⅛" to ¾" rising by 1/16" with suitable check, cable, plug, adaptor, sleeves and hand operated switch to be provided.	1	Shimoga
2. Portable Electric Grinders—		
For dressing light castings and weldings, size 6". Motor to work on 400/440 volts, 50 cycles, A.C. supply, provided with emery wheel, wheel guard and cable, plug, adaptor and hand operated switch.	1	do
3. Electric Motor Blowers—		
For blowing out dust from Electric Motors. Capacity to discharge 60 feet of free air per minute. This is to be fitted with the suction attachment to convert blowers into a vacuum cleaner.	1	Shimoga
Electric Motor to work on 440 volts, 50 cycles and 3 phase, cable, plug, adaptor and hand operated switch to be provided along with the machine.		
If the machine to be offered is H.P. and less than 220 volts, 50 cycles, machine may be quoted.		
4. Marking out and Inspection Tables—		
Top surface and edges planned accurately. To be heavily ribbed underneath. Top surfaced lined out squares.	1	do
Size of Table—Surface area 6'×4' ...		
5. Spray painting equipment complete with paint conatiner—		
Consisting of spray gun, with Air Hose, Powder Unit, etc.	1	do

N.B.—1. Quotations with firm prices are preferred.
2. Sales-tax should be quoted separately.

4157

Dated 23rd August 1950.

To

The Firms dealing in Diesel Pneumatic Drilling Equipment.

Enquiry No. 10120.

Subject :—Diesel Pneumatic Drilling Equipment for Bellara Gold Mines.

Gentlemen,

No. S.P.C. 26303-323. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Diesel Pneumatic Drilling Equipment for Bellara Gold Mines" with the above enquiry number.

This enquiry will be closed on the 25th September 1950.

The quotations will be opened at 12 NOON on the next working day after the closing date.

SCHEDULE

		Quantity required		Price quoted F.O.R.
1	Rock Drill including hose nipple, nut, syringe, lubricator, 2 hose clamps, hose nipple, nut washer, screw coupling, 2 hose clamps and cock.	1	...	Tumkur
2	Pneumatic Pusher BMK-41A2 and attachment constructed to suit the above rock drill. Length of feed 51"	1	...	Do
3	10'×3/4" rubber hose complete with lubricator already included with the rock drill and couplings with hose clamps.	1	...	Do
4	10'×¾" hand hose for pusher T-Type including couplings.	1	...	Do
5	Coremeut Drill Steels :—			
	Size 600×34×4—½" Shank ...	2	...	Do
	Size 1600×33×4—½" Shank ...	4	...	Do
	Size 2430×4—½"×32 Shank ...	2	...	Do
6	Rotary Grinder type Rs. 710 with straight handle including hose nipple and socket wrench.	1	...	Do
7	Snap couplings No. 6340, 3/8"—½"—¾" ...	8	...	Do
	Do No. 6341, 3/8"—½"—¾"...	3	...	Do
	Do No. 6340,—1" ...	3	...	Do
	Do No. 634',—1" ...	3	...	Do
8	Rubber packing No. 60 ...	6	...	Do

N.B.—1 Quotations with firm prices are preferred.
2 Sales-tax should be quoted separately.

4151a

Dated 23rd August 1950.

To

Messrs. P. Orr & Sons., Ltd.,
Post Box No. 317,
Madras.

Local Indent No. 10763.

SUBJECT :—Your tender No. S.R. 10269, dated 28th July 1950 for the supply of Clocks and Time-Pieces for the Mysore Government Departments during the period ending 31st August 1951.

Gentlemen.

No. S.P.C. 26890. I write to request you to be so good as to enter order for the materials described in the undermentioned schedule at prices specified therein and arrange to make supplies on indents from such of the departmental officers as may require the materials and in such quantities as may be required by them from time to time, all indents being complied with within a fortnight from the date of receipt.

The contract will be deemed to be limited to the quantities to be actually drawn by the departments.

This contract will be in force from this date up to end of 31st August 1951 and the materials will have to be supplied throughout the said period at the prices accepted herein and no enhancement of the said prices for whatsoever reasons can be granted.

Please note that the materials to be supplied should strictly conform to the specifications given in the Schedule, failing which they will be rejected. All rejected supplies should be replaced by correct materials within a week from the date of rejection. Failure to make supplies in time and in accordance with the specifications will entail cancellation of the contract and purchases being made from other sources debiting the extra cost, if any, incurred by Government to you. In such an event, the Stores Purchase

Committee also reserve the right to levy a penalty, as and by way of liquidated damages of 3 per cent of the value of the order.

The bills of cost should be sent in duplicate to the Indenting Officers who will arrange payment.

Please acknowledge receipt of this communication. The above Local Indent Number should be quoted in all correspondence relating to this order.

The clocks and time-pieces to be supplied to the Director of Public Instruction in Mysore, should be inscribed with the letters "D.P.I."

You are requested to execute an agreement on a ten-anna Mysore Government Stamp Paper binding yourself to execute the contract satisfactorily and also deposit Rs. 100 as security.

Yours faithfully,
LOUIS DE SOUZA,
Secy., S.P.C.

Local Indent No. 10763.

SCHEDULE OF ORDER.

Placed with Messrs. P. Orr & Sons., Ltd.,
Post Box No. 317,
Madras.

Sl. No.	Description	Rate Rs. a. p.
1	Smith's English made "Victory" Alarm Time-piece in various colours 4" non-luminous dial.	14 0 0 (each)
2	12" dial circular Wall Clock, 8-day pendulum movement by Smith's English Clocks, Ltd., fitted in polished hard-wood case, dial with Arabic Numerals striking hours and half hours on gongs.	75 0 0 (each)
3	The new improved model circular wall clock, 8 day pendulum movement by Smith's English Clocks, Ltd., dial with Arabic Numerals, polished teakwood case, fitted with 12" polished brass outer bezel.	90 0 0 (each)

N.B.—It is noted that the time-pieces and Clocks will be supplied f.o.r. destination in the Mysore State, but packing and local Sales Tax will be extra. They are covered by two-year written guarantee and where necessary, you will engrave them with the letters "D.P.I." without extra cost.

4049

Notice dated 28th August 1950.

Enquiry No. 10023—E.D. 1123.

No. S.P.C. 29191—230. Sealed tenders will be received by the Secretary, Stores Purchase Committee up to 30th October 1950 for the supply of Suspension Disc Insulators required for the Electrical Department.

Intending tenderers may, on application to the Secretary, Stores Purchase Committee, obtain the requisite tender forms on which tenders should be submitted. Applications should be accompanied by a cash remittance of Rs. 20 which is the price fixed for a set of forms and which is not refundable.

Cheques, postal orders and postage stamps will not be accepted towards the cost of forms nor will the forms be sent by V.P.P.

4322a

Dated 1st September 1950.

To

The Firms dealing in Machinery (General) Accessories and Tools.

Enquiry No. 10132.

Subject:—Supply of "Steel Tank".

Dear Sir/Gentlemen,

No. S.P.C. 29083-98. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for "Steel Tank" for Intermediate College Building in Chikmagalur" with the above enquiry number.

This enquiry will be closed on the 26th September 1950.

SCHEDULE.

Item No.	Description of material offered	Quantity	Price quoted F.O.R. Chikmagalur.	Time of delivery
1.	STEEL TANK. 800 gallons capacity made of pressed steel with 25 feet steel—Frame staging.	ONE.	...	...

NOTE.—(1) Sales-tax, if any, be specifically mentioned.
(2) Delivery to be from immediate stocks.
(3) Quotations with firm prices preferred.

4320

Dated 1st September 1950.

To

The Firms dealing in Diesel Lorries.

Enquiry No. 10138.

Subject:—Diesel Lorries to Lakkavalli Reservoir Construction Division, Lakkavalli.

Gentlemen,

No. S.P.C. 29688-708. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be, subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Diesel Lorries for Lakkavalli Reservoir Construction" with the above enquiry number.

This enquiry will be closed on the 12th September 1950.

SCHEDULE.

		F.O.R. Lakkavalli Quantity
1.	5-7 Ton Lorries:— Diesel Lorries (Chassis only Long Wheel Base Chassis of 170" with powerful diesel engine with robust 5 speed gear box and wide range of tyres—capable of carrying 5 to 7 tons in addition to the unladen weight.	THREE

N.B:—1. Quotations with firm prices are preferred.
2. Sales-tax should be quoted separately.
3. Time of delivery may be stated.

4322

Dated 1st—5th September 1950.

To

Messrs The Bangalore Metal Factory and Co.,
135, Cottonpet Main Road,
Bangalore City.

Gentlemen,

Local Indent No. 10773.

Your quotation No. 112—50-51, dated 14th August 1950 for the supply of Iron Safes during 1950-51 received in response to our enquiry No. 10057.

No. S.P.C. ..... With reference to the above quotation, I write to request you to enter order for the Iron Safes described in the annexed schedule at the prices noted therein and arrange to make supplies on indents from the Departmental Officers in such numbers as may be required by them from time to time all indents being complied with within a fortnight from the date of their receipt.

The contract shall be deemed to be limited to the number of Iron Safes to be actually drawn by the Departments.

The contract will be in force till the end of August 1951 and the Safes will have to be supplied throughout the period at the prices accepted herein.

The Iron Safes to be supplied should be strictly according to the specifications. They will be subject to inspection by an Officer of Industries and Commerce Department to be deputed for the purpose both during manufacture and after completion and such of the Safes as may be found defective, during such inspection, either due to bad work-

manship or due to use of bad materials will be rejected and all rejected supplies should be replaced by correct ones within two weeks from the date of rejection. Failure to make supplies in time and in accordance with the specification will entail cancellation of the contract and purchases being made from other sources debiting the extra cost, if any, incurred by Government to you. In such an event, the Stores Purchase Committee also reserve the right to levy a penalty, as and by way of liquidated damages, of three per cent of the value of the order.

As supplies are made, the relative bills of the cost should be sent duly signed in triplicate, the original being receipted and stamped to the respective Indenting Officers for arranging payment.

You should arrange to enter into an agreement and deposit a sum of Rs. 100 (Rupees one hundred only) as security for the due performance of the contract within two weeks from the date of receipt of this order, failing which the order will be cancelled

A draft form of agreement required to be executed on a ten-anna stamp paper is enclosed.

Please acknowledge the receipt of this communication.

SCHEDULE.

1. Burglar-resisting but non-fire-proof Iron Safes of single door made of single continuous 1/8" thick best steel plate bent cold with single point at the bottom substantially made by putting a full plate, all the sixteen edges being bent cold and the corners, welded. The safes will have two drawers at the bottom fitted with best lever locks and a shelf in the centre. The door will be fitted with air patent lock having six levers with check key (A.B.C.) protected by drill and hammerproof steel plate and having independent keys for the drawers. The safe should be painted with best enamel paint, and be provided with a secret chamber. The keys should be non-interchangeable, as detailed in your quotation.

		Net prices accepted.
Size 1.	Height 23"× width 19"× depth 19" (outside). Height 21½"× width 18½"× depth 15" (inside).	Rs 215 each. (Rupees Two hundred and Fifteen only).
Size 2.	Height 30"× width 21"× depth 21" (outside). Height 28½"× width 20½"× depth 17" (inside).	Rs. 265 each (Rupees Two Hundred and Sixty-five only).

2. Fire and burglar-resisting Iron Safes as per above specification. The fire-proofing should be of the best non-conductivity and water generating composition and capable of withstanding severe fire test without effecting the contents. It should be also burglar-proof.

		Net prices accepted.
Size 1.	Height 23"× width 19"× depth, 19" (outside).	Rs. 280 each. (Rupees Two hundred and Eighty only).
Size 2.	Height 30"× width 21"× depth 21" (outside).	Rs. 340 each. (Rupees Three hundred and Forty only).

N. B.:—For delivery at Railway Stations other than Bangalore, packing, carriage and railway freight will be Rs. 12 extra for each safe for delivery at the nearest Railway Station. Cartage and delivery charges at Bangalore City and Civil Area will be Rs. 8 extra for each safe for delivery at any office in Bangalore City and Civil Area. Sales-Tax extra.

4319

Notification dated 26—29th August 1950.

Statement of orders placed by the Stores Purchase Committee both in India and Foreign Countries during the week ending 26th August 1950.

Sl. No.	Enq No.	L.I. No.	Date	Department	Description of articles	Name of the Firm	Amount Rs. a. p.
1	10018	10761	22nd August 1950	The Senior Surgeon in Mysore, Bangalore.	Chloroform B.P. ...	May & Baker Ltd., Fort, Bombay.	9,093 12 0
2	10004	10762	Do ...	The Director of Printing and Stationery, Bangalore.	Press Miscellaneous ...	(1) S. Narayana & Co., Gandhi Road, Madras. (2) Gujarat Trading Syndicate, 4, Medows Street, Fort, Bombay. (3) Rowland Son & Brothers, Bombay.	7,390 10 0
3	10071	10763	Do	Government Departments.	Supply of Clocks and Time-pieces.	P. Orr & Sons, P. B. No. 317, Madras.	Annual rate contract.
4	9836	10764	Do ...	The Government Porcelain Factory.	Alligator Type Brushes	The Golconda Stores, Bangalore City.	864 0 0
5	9973	10765	Do ...	Government Departments.	Cyclostyle Machine ...	Srinivasa Trading Company, Bangalore City.	Annual rate contract.
6	9796	10766	25th do ...	The Mysore Road Transport Department.	Brake Drum Grinder ...	Alfred Herbert (India) Ltd., Calcutta.	6,825 0 0
						Grand Total ...	23,678 6 0

4321

LOUIS DE SOUZA, *Secy.*, *S.P.C.*

OFFICE OF THE PUBLIC SERVICE COMMISSIONER FOR MYSORE, "UNITED INDIA" BUILDING, BANGALORE.

Posts of Veterinary Inspectors.

Notification dated 21st August 1950.

No. 4491—P.S.C. 33-50-1. Applications are invited from qualified candidates for inclusion of their names in the approved lists of candidates for appointment as Veterinary Inspectors under Grade I and II in the Unit of the Director of Animal Husbandry Services, during the official year 1950-51 :—

2. The candidates must be Mysoreans by birth or domicile. Where an applicant claims to be a domiciled Mysorean, a certificate from a Gazetted Officer of Mysore Service, whether in service or retired, showing the grounds for the claims of domicile should be enclosed.

3. *Age limit.*—The maximum age for entry into Government Service is 28 years in case of Backward Community candidates and 25 years in the case of Brahmin candidates. Applications from Brahmin and Backward Community candidates who are not more than 30 and 33 years of age respectively will also be considered, if necessary.

Note.—1. Candidates who pass the maximum age limit on 1st October 1950 are not eligible for appointment.

2. The age limit will not apply in case of those who are regularly recruited and now are under service.

4. *Minimum Qualification.—Grade I.*—A degree in Veterinary Science or an equivalent examination.

Grade II.—A diploma in Veterinary Science or an equivalent examination.

5. *Pay*:—*Grade I.*—Rs. 100—8—140—10—200 for graduates.

Grade II.—Rs. 75—5—150—10—200 for non-graduates.

6. As and when vacancies occur, candidates will be appointed in the order of assignment of their names in the approved lists.

6 (*a*) Candidates appointed as Veterinary Inspectors will have to qualify by passing the departmental obligatory accounts examination during the probationary period of one year in addition to professional examination as may be prescribed from time to time.

7. Intending candidates should submit their applications in duplicate in the prescribed form together with copies of testimonials and certificates (which will not be returnable) so as to reach the undersigned on or before the 18th September 1950.

8. A fee of one rupee is prescribed for every application in duplicate. The fee should be remitted into a Government Treasury under the Head "Other receipts under 4 Miscellaneous XIII Miscellaneous" and the Treasury receipt obtained therefor should be sent with the application.

9. The following particulars should also be furnished in the last column of the existing application form :

1. Whether the prescribed fee of Re. 1 has been remitted into the Treasury and if so the name and place of the Treasury to be clearly mentioned.
2. Whether the Treasury receipt is attached.

10. Under the heading "On what account" in the Treasury Challan, the number and date of the Notification calling for applications as well as the kind and class of appointment applied for, should be given. In the case of vacancies advertised individually, the Serial Number of the vacancy should also be furnished.

11. No notice will be taken of the applications in case the Treasury receipt is not attached thereto.

12. No cash payment or money order or postal order of cheque or court fee stamp or any other stamps will be accepted.

13. Candidates already in service should submit their applications through their official superiors.

14. No notice will be taken of applications that are not in response to this Notification or are received after the due date or are not submitted in the prescribed form, or do not furnish all the particulars required in the various columns of the form even though the prescribed fee is paid and the receipt attached.

15. Candidates who wish to have an endorsement from this office should attach to their applications stamped and self-addressed cover or reply card.

16. Candidates who furnish false information in the application are liable to be debarred or dismissed from service.

3932

Notification No. 4632—P.S.C. 27-50-10, dated 23th August 1950.

Indian Navy Examination, November 1950.

The following advertisement of the Union Public Service Commission is hereby republished in the *Mysore Gazette* for information of the intending candidates.

By Order,
S. DEVARAJ,
Secretary to the
4097 *Public Service Commissioner.*

"UNION PUBLIC SERVICE COMMISSION.

The Union Public Service Commission will hold an examination commencing on 20th November 1950 for recruitment to the permanent cadre of the commissioned ranks of the Indian Navy. *Age limits*: 17½—19½ years on 1st December 1950. *Educational Qualifications*: Matriculation or equivalent examination. Application forms and full particulars obtainable from the Secretary, Union Public Service Commission, Parliament House, New Delhi, to whom completed applications must reach by 16th September 1950 (2nd October 1950 in case of candidates in foreign countries). When requesting for forms candidates must prominently state "INDIAN NAVY EXAMINATION."

P. SITARAMAN,
Assistant Secretary,
Union Public Service Commission."

THE BANK OF MYSORE, LTD., BANGALORE.

Statement of the affairs of the Bank of Mysore, Limited, for the week ending 25th August 1950, published under Article 141 of the Articles of Association :—

LIABILITIES.	Rs.	ASSETS.	Rs.
To Capital Receipts	50,00,000	By Cash in hand and at Bankers	2,63,61,770
„ Reserve Fund	83,50,000	„ Loans and Cash Credit Accounts	4,63,71,716
„ Public and other Deposits	9,67,85,457	„ Bills discounted and purchased	85,20,552
„ Sundries	5,15,470	„ Investments	2,73,38,656
„ Bills for Collection (*per contra*)	44,22,482	„ Balance at Agencies	...
		„ Dead Stock	18,66,010
		„ Sundries	1,92,223
		„ Bills Receivable (*per contra*)	44,22,482
(Annas and pies omitted) Total	11,50,73,409	Total	11,50,73,409

BANGALORE,
804 *Dated 31st August 1950.*

B. V. NARAYANA REDDY,
Manager.

"I intend moving the Honourable the High Court of Mysore to enrol me as an Advocate thereof.
768 B. L. KRISHNAMURTHY, B.A., B.L.

"I intend to move the Honourable High Court of Mysore, to enrol me as an Advocate thereof".
763 R. GOPALAKRISHNAN, B.Sc., B.L.

"I intend to move the Honourable High Court of Mysore, to enrol me as an Advocate thereof".
762 SYED NAZIR AHMED, B.A., B.L.

OFFICE OF THE PRINCIPAL, BASAPPA INTERMEDIATE COLLEGE, ANANDA RAO CIRCLE, BANGALORE—2.

Notification.

Sri M. Suryanarayana Maiya (son of M. Ananta Maiya), student of the Basappa Intermediate College, Bangalore (Senior "B") is permitted to change his name from "M. Suryanarayana Maiya" to "M. Suryanarayan Rao" as desired by him.

795 D. S. HANUMANTHA CHARI, *Principal.*

OFFICE OF THE SECRETARY, MYSORE GOVERNMENT LIFE INSURANCE DEPARTMENT, BANGALORE.

(PUBLIC BRANCH).

Notification dated 1st September 1950.

Application having been received for the issue of a duplicate of Policy No. 73138—C. 60383 on the life of late Sri Rangappa, it is hereby notified that the duplicate will be issued unless valid objection therefor is received by the undersigned within one month from this date.

805 B. M. KRISHNAN, *Secy.*

OFFICE OF THE HEAD MASTER, GOVERNMENT HIGH SCHOOL, KOLAR.

Notification dated 16th August 1950.

Sri Kadirappa, a Student of the III Year Class of the Government High School, Kolar, is permitted to change his name from "Kadirappa" to "T. N. Raghavaiah as" desired by him.

B. MARI RAJ,
Head Master.

799

OFFICE OF THE HEAD MASTER, ACHARYA HIGH SCHOOL, GORIBIDNUR.

Notification dated 28th August 1950.

Srimathi Akkatchamma, student of the Acharya High School, Goribidnur, is permitted to change her name from "Akkatchamma" to "N. Sharadamba" as desired by her.

.....,
Head Master.

796

OFFICE OF THE INSPECTOR OF SCHOOLS, GORIBIDNUR RANGE.

Notification dated 1st September 1950.

No. Gl. 1610. Sri G. S. Shankarananda Setty, School Master, Dyavasandra, Goribidnur Taluk, is permitted to change his name *from* "G. S. Shankarananda Setty" *to* "T. N. Shankarananda Setty" as desired by him.

S. SHAMANNA,
Inspector of Schools.

824

UNIVERSITY OF MYSORE.

OFFICE OF THE PRINCIPAL, FIRST GRADE COLLEGE, MYSORE.

Notification dated 28th August 1950.

Mahendraiah, student of Senior Intermediate (E. Section) Class, is permitted to change his name from "Mahendraiah" to "M. B. Mahendra," as desired by him.

C. K. SUNDARACHAR,
Principal.

802

OFFICE OF THE MYSORE IRON AND STEEL WORKS, BHADRAVATI.

Notification.

Mr. Narashima, 4402 Tongsman Billet Furnace Strip and Rod Mill-M.I.S.W. Bhadravati, is permitted to change his name from Narashima to Narashimaiah as desired by him.

C. PARASURAMA NAIK,
Superintendent,
R. Mills.

816

OFFICE OF THE PUBLIC SERVICE COMMISSIONER FOR MYSORE, "UNITED INDIA" BUILDING, BANGALORE.

NOTICE OF VACANCIES.

Notification No. 4642—*P.S.C.* 27-50-12, *dated* 28*th August* 1950.

It is hereby notified for the information of candidates seeking employment that the following vacancies will be filled up shortly. Intending candidates should submit their applications, in duplicate, in the prescribed form to the undersigned together with copies of testimonials, if any, on or before the date specified against each vacancy. Candidates in service should submit their applications through their official superiors and those applying for more than one vacancy should submit separate applications in duplicate in respect of each vacancy. Vacancies under "A" Class are open to candidates of all communities and the best qualified applicants for the same will generally be selected. Vacancies under "B" Class are reserved for candidates belonging to Backward Communities and the best qualified applicants from among them will generally be selected.

N.B.—(1) No notice will be taken of applications not submitted by the due date in the prescribed form or of those which, though in the prescribed form, do not furnish all the particulars required in the various columns or of those not referring to any specific vacancy advertised in the Gazette.

(2) The serial number of the vacancy applied for should be quoted at the top of the application in bold figures and application should always be addressed to the Public Service Commissioner for Mysore, Bangalore, and not to his personal address by name.

(3) Candidates already in service, whether permanent or temporary should apply through their official superiors. Applications received direct from such candidates will not be considered.

(4) Candidates must be Mysoreans by birth or domicile. Where an applicant claims to be a domiciled Mysorean a certificate from Gazeted Officer of the Mysore Service showing the ground for the claims should be enclosed.

LAST DATE FOR RECEIVING APPLICATIONS: 15TH SEPTEMBER 1950.

N.B.—1. Those who pass the maximum age limit on 1st October 1950 will be considered as overaged. Their applications will be forwarded to the concerned Unit Officers in case candidates within the age limit are not available.

2. Candidates who wish to have a reply from this office as regards the nature of disposal of their cases should attach self-addressed and stamped envelopes or post cards to their applications.

3. A fee of rupee one is prescribed for every application in duplicate. The fee should be remitted into a Government Treasury under the head "Other receipts under 4 Miscellaneous, and the treasury receipt obtained therefor should be sent with the application.

4. The following particulars should also be furnished in the last column of the existing application form.
   (i) Whether the prescribed fee of Re. 1 has been remitted into the Treasury and if so, the name and place of the Treasury to be clearly mentioned.
   (ii) Whether the Treasury Receipt is attached.

5. Under the heading "On what account" to the Treasury Receipt the number and date of this notification and the serial number of the vacancy should be given.

6. No notice will be taken of the application in case the treasury receipt is not attached thereto.

7. No cash payment or money order or postal order or cheque or court fee or revenue or postal stamp will be accepted.

8. Depressed class candidates are exempted from payment of this fee.

Sl. No.	Name of office	Designation of appointment	Pay of appointment	Qualifications required of candidates	Duration of the vacancy
		"A" OR "GENERAL" VACANCIES (OPEN TO ALL COMMUNITIES).			
			Rs.		
654	Office of the Deputy Commissioner, Hassan District.	Octroi Mutsaddi ...	25—1—30	M.S. or V Form Course ...	Longstanding
655	Office of the Deputy Commissioner, Kolar District.	Octroi Mutsaddi, Sanitary Board, Kolar Gold Fields.	Do	Do do ...	Temporary
		VACANCIES OPEN TO ALL COMMUNITIES (PREFERENCE BEING GIVEN TO BACKWARD COMMUNITY CANDIDATES POSSESSING THE PRESCRIBED MINIMUM QUALIFICATION).			
			Rs.		
656	Office of the Deputy Commissioner, Kolar District.	Assistant Master, Sanitary Board High School, Kolar Gold Fields.	60—5—90—E.B. 6—150.	B. Com. or a graduate with Diploma in Commerce.	Temporary
657	Do do ...	Assistant Master, Municipal High School, Sidlaghatta.	Do	A graduate in Science ...	Do
658	Do do ...	Assistant Master, Municipal High School, Chintamani.	Do	A graduate with English as optional subject.	Do
659	Do do ...	Do do ...	Do	A graduate with History as an optional subject.	Do
660	Do do ...	Do do ...	Do	A graduate with P.C.M. as optionals	Do
661	Do do ...	Do do ...	Do ...	A graduate with English and History as optional subjects.	Do
		"B" OR "SPECIAL" VACANCIES (RESERVED FOR BACKWARD COMMUNITIES).			
			Rs.		
662	Office of the Deputy Commissioner, Kolar District.	Assistant Master, Sanitary Board High School, Kolar Gold Fields.	60—5—90—E.B. 6—150.	A graduate in Science ...	Do
663	Office of the Director of Public Instruction in Mysore, Bangalore.	Professor of Visistadwaita Vedanta, Sri Chamarajendra Sanskrit College, Bangalore.	120—10—200	Vidwat Degree Examination in Visistadwaita Vedanta.	Do
664	Do do ...	Persian Munshi, Government Training College, Mysore.	60—5—100—6—130	B.A. with Persian as optional ...	Do
665	Do do ...	Assistant Master, Government High School, Tiptur.	60—5—90—E.B. 6—150	A graduate with History as an optional subject ...	Do (a)
666	Do do ...	Assistant Master, Government High School, Malleswaram, Bangalore.	Do	Do do ...	Do (a)
667	Office of the District Educational Officer, Tumkur.	Sanskrit Teacher, Government Middle School, Amrutur, Kunigal Taluk.	40	Sanskrit Vidwat Examination. (Sahitya Examination preferred)	Longstanding
668	Office of the Director, Government Printing, Stationery and Publications, Bangalore.	Foreman, Government Press, Bangalore.	65—3—80	1. Certificate or Diploma in Printing or any equivalent Examinations with five years' experience of having worked as Foreman or in any supervisory capacity in a Government Press or in any private printing Institution. OR 2. A compositor having completed L.S. Course and worked as a practical compositor, for a period of at least ten years in a Government Printing Press or a Private Printing Institution. Preference will be given to the candidate who has passed Junior Composing Technical Examination in addition to the above	Permanent
669	Do do ...	Do do ...	Do	Do do ...	Do
670	Office of the Director of Public Health in Mysore, Bangalore.	Mechanic, Malaria Investigation Centre, Sagar.	50—5—100	Diploma Holder in Mechanical Engineering and Experience in Automobile Mechanics.	Do
671	Office of the Deputy Commissioner, Mandya.	II Grade Police Daffedar; Office of the District Superintendent of Police, Mandya.	35	M.S. or V Form Course ...	Temporary
672	Office of the Director of Agriculture in Mysore, Bangalore	Maistry, Anandapuram Farm ..	30—1—40	A pass in Vernacular Agricultural School or Fieldmen Training.	Do
673	Office of the Registrar, University of Mysore, Mysore.	Attender, University Office, Mysore.	25—1—30	M.S. or V Form Course ...	Likely to become permanent.
674	Office of the Deputy Commissioner, Hassan.	Octroi Mutsaddi, Municipal Office, Channarayapatna.	18	Do do ...	Longstanding
675	Do do ...	Octroi Mutsaddi, Municipal Office, Belur	25—1—30	Do do ...	Do
676	Office of the Deputy Commissioner, Kolar.	Octroi Mutsaddi, K. G. F. Sanitary Board.	25	Do do ...	Temporary
677	Do do ...	Do do ..	25—1—30	Do do ...	Do
678	Do do ...	Octroi Manegar, Town Municipality, Bangarpet.	Do ...	Do do ...	Do
679	Do do ...	Octroi Mutsaddi, K.G.F. Sanitary Board	Do ...	Do do ...	
680	Office of the District Educational Officer, Bangalore District, Bangalore.	Attender, Weaving Section, Government Middle School, Anekal (Old).	Do ...	Do do ...	

Remarks.—
(a) Candidates possessing the B.T. qualification will be started on a pay of Rs. 70 in the grade.
(b) The selected candidate should furnish a cash security of Rs. 100.

4080

Notification No. 4807—P.S.C. 27-50-13, dated 4th September 1950.

LAST DATE FOR RECEIVING APPLICATIONS—22ND SEPTEMBER 1950.

N.B.—1 Those who pass the maximum age limit on 1st October 1950 will be considered as over-aged forwarded to the concerned Unit Officers in case candidates within the age limit are not avail
2 Candidates who wish to have a reply from this office as regards the nature of disposal of their sed and stamped envelopes or post cards to their applications.
3 A fee of Rupee one is prescribed for every application in duplicate. The fee should be remi under the Head "Other Receipts under 4 Miscellaneous XIII Miscellaneous" and the treasu be sent with the application.
4 The following particulars should also be furnished in the last column of the existing appli
(i) Whether the prescribed fee of Re. 1 has been remitted into the Treasury and if so, be clearly mentioned.
(ii) Whether the treasury receipt is attached.

5 Under the heading "On what account" in the treasury receipt the number and date of this notification and the Sl. No. of the vacancy should be given.
6 No notice will be taken of the application in case the treasury receipt is not attached thereto.
7 No cash payment or money order or postal order or cheque or court fee or revenue or postal stamp will be accepted.
8 Depressed Class candidates are exempted from payment of this fee.

Sl. No.	Name of office	Designation of appointment	Pay of appointment	Qualifications required of candidates	Duration of the vacancy
			Rs.		
		"A" OR "GENERAL" VACANCIES (OPEN TO ALL COMMUNITIES).			
681	Office of the Deputy Commissioner, Mandya	Assistant Master, Municipal High School, Mandya.	60—5—90/ E.B. 6—150.	B.Sc. with C.B.Z. as Optionals ...	Temporary
682	Office of the Deputy Commissioner, Kolar.	Gollar, Taluk Treasury, Chikballapur.	25—1—30	M.S. or V Form Course ...	Do
688	Office of the Registrar, University of Mysore.	Attender, University Library, Mysore.	Do ...	Do do ...	Permanent
		VACANCIES OPEN TO ALL COMMUNITIES, PREFERENCE BEING GIVEN TO BACKWARD COMMUNITY CANDIDATES POSSESSING THE PRESCRIBED MINIMUM QUALIFICATION.			
684	Office of the Deputy Commissioner, Kolar District.	Assistant Master, Municipal High School, Malbagal.	60—5—90/ E.B. 6—150.	A graduate with P.C.M. as optionals	Temporary
685	Do do ...	Do do ...	Do ...	A graduate with English and History as optionals.	Do
686	Do do ...	Assistant Master, Municipal High School, Malur.	Do ...	Do do ...	Do
687	Do do ...	Assistant Master, Municipal High School, Chintamani.	Do ...	A graduate with P.C.M. as optionals	Do
688	Do do ...	Assistant Master, Sanitary Board High School, Kolar Gold Field.	Do ...	A graduate in Arts ...	Do
689	Do do ...	Do do ...	Do ...	Do do ...	Do
690	Do do ...	Assistant Mistress, Sanitary Board Girls' High School, Kolar Gold Field.	Do ...	Do do ...	Do
691	Do do ...	Assistant Master, Municipal High School, Chintamani.	Do ...	Do do ...	Do
692	Do do ...	Do do ...	Do ...	A graduate in Science ...	Do
		"B" OR "SPECIAL" VACANCIES (RESERVED FOR BACKWARD COMMUNITIES).			
693	Office of the Convenor, Board of Management for Industrial Concerns, Bangalore.	Junior Chargeman, Sandal Oil Factory, Shimoga.	Rs. 60—4—70	Diploma in Mechanical Engineering of the School of Engineering or of the Sri Jayachamarajendra Occupational Institute (In maintenance of Boilers)	Permanent
694	Office of the Director of Industries and Commerce in Mysore, Bangalore.	Smithy Instructor, Industrial School, Chikmagalur.	40—2½—50—5—80	A pass in L.S. and 4 years training in Chamarajendra Technical Institute, Mysore or in any other recognised Industrial Institution.	Do
695	Office of the Deputy Commissioner, Bangalore District.	Assistant Master, Municipal High School, Kankanahalli.	60—5—90 E.B. 6—150	B.Sc. with P.C.M. as optionals ...	Longstanding
696	Office of the Deputy Commissioner, Kolar District.	Kannada Pandit, Municipal High School, Malur.	60—5—90—6—120	Kannada Pandit's Examination ...	Do
697	Office of the Registrar, University of Mysore, Mysore	Travelling Pandit, Oriental Institute, Mysore.	60—5—100—6—130	Vidwat Examination in Sanskrit and general knowledge of the literature of the several branches of Sanskrit studies, good knowledge of Kannada and South Indian Script; experience in reading Palm leaf Manuscript.	Permanent
698	Office of the District Educational Officer, Tumkur.	Hindi Teacher, Government Kannada Boys' Middle School, Madhugiri.	40—2—50—3—80.	"Praveshika" Examination of the Dakshina Bharata Hindi Prachara Sabha, Madras or "Uttama" Examination of Mysore Hindi Prachara Parishat.	Longstanding
699	Office of the Registrar, University of Mysore, Mysore.	Attender, University Library, Mysore.	25—1—30	M.S. or V Form Course ...	Permanent

Remarks :
The Vacancy No. 475—50-51 published in this Office Notification No. 8645—50-51 P.S.C., dated 17th July 1950, is cancelled.

By Order,
S. DEVARAJ,
Secretary to the
Public Service Commissioner.

297

FOREST DEPARTMENT

SAGAR FOREST DIVISION.

Notification dated 1st September 1950.

: of right of collecting cardamom crop in Varahi State Forest of Nagar Range.

tice is hereby given that the right of collecting ving Cardamom Crop in Varahi State Forest of nge up to end of 31st March 1952, will be sold by uction by the District Forest Officer, Sagar Sagar, at the District Forest Office, Sagar at 20th September 1950.

intending bidder shall deposit with the sale fficer an earnest money deposit of Rs. 25 emitted to bid.

best bidder shall immediately after the close y the full amount of sale including cesses at Re. 0-2-3 per Rupee and Sales-tax at Re. 0-0-3 per Rupee on the entire sale amount.

4. The sale is subject to confirmation by the Conservator of Forests, Shimoga, who may at his discretion accept or reject any bid without assigning any reason therefor.

5. Within 15 days of the date of intimation of the confirmation of the sale, the successful bidder shall execute an agreement with the District Forest Officer, Sagar, on a duly stamped paper of proper value, (procured at his cost) after furnishing a security deposit of Rs. 25 for the due fulfilment of the contract.

6. Other conditions are as usual as in the case of Minor Forest Produce Sale.

4335

Notification dated 4th September 1950.

Sub :—Sale of timber standing in Hirebhasgar Submession Area of Sagar and Nagar Ranges.

Ref :—This office notification dated 19th August 1950.

Adverting to para 5 of the above sale notification for 1950-51, printed on pages 961-962, Part VI of the *Mysore Gazette*, dated 31st August 1950, the public are hereby informed that the Full Quantity of timber sold shall be cut and removed by the successful bidder before the end of 30th June 1951 instead of 31st March 1951.

G. MASCARENHAS,
4334 *D. F. O.* I/c.

ENGINEERING DEPARTMENT

OFFICE OF THE EXECUTIVE ENGINEER, NUGU RESERVOIR DIVISION, BIRWAL POST *VIA* NANJANGUD.

Tender Notification dated 4th September 1950.

Sealed tenders superscribed as " Tender for the supply of Charcoal during 1950-51 " will be received in the above office up to 5 P.M. on Monday the 25th September 1950.

Each tender must be accompanied by a treasury challan for the credit of Rs. 100 (Rupees one hundred only) as earnest money under " 40 (1) Payment to Treasury by P.W.D."

The approximate quantity required is two thousand bags of 75 lbs. net, and may be more or less. The charcoal must be of good hard wood and properly burnt and free from dust. The supply be made at the material yard in Birwal and stacked according to the instructions to be given during execution.

The rates should be quoted clearly both in figures and words per bag of 75 lbs. net, and that once quoted and accepted holds good to end of March 1951, and will not be revised under any circumstances.

The Executive Engineer does not bind himself to accept the lowest or any tender and reserve the right of accepting any tender at his own discretion without assigning any reasons therefor. The successful contractor should execute a *mutchalika* on usual conditions within a week from the date of acceptance.

Withdrawal from the quotation after it is accepted or failure to make the supply according to the terms of agreement, will entail the forfeiture of earnest money deposited and cancellation of order.

If any further information is required, that may be ascertained from the above office during working days.

J. S. NANJUNDA RAO,
4333 *Executive Engineer.*

MEDICAL DEPARTMENT

OFFICE OF THE DISTRICT MEDICAL OFFICER, CHIKMAGALUR DISTRICT, CHIKMAGALUR.

Notification dated 4th September 1950.

Notice is hereby given that sealed tenders in triplicate in half sheet foolscap sized paper will be received by the District Medical Officer, Chikmagalur District, Chikmagalur at his office on Thursday the 2nd November 1950 at 11 A.M. for the supply of " Bedding and Clothing " required for the use of the Mallegowda General Hospital, Chikmagalur for the year 1950-51.

No tender will be received unless accompanied by a deposit of Rs. 300 in Treasury receipt and a solvency certificate obtained from the Revenue Authorities not earlier than six months prior to the date of submission of tenders.

Detailed tender forms can be had on application to the undersigned during the working hours of the office.

B. NARAYANA RAO,
4336 *D.M.O.*

MISCELLANEOUS DEPARTMENTS

BANGALORE DISTRICT.

(FOOD CONTROL SECTION).

Notification dated 29th August 1950.

No. F6. 48—50-51. Sealed tenders will be received in the Office of the Deputy Commissioner (Food Control Section), Bangalore District, up to 4 P.M. on 21st September 1950, from lorry owners or contractors owning at least twelve lorries duly registered in his name for the transport by lorries of foodgrains, gunny bales and all other controlled commodities, etc., from place to place within Bangalore District and from any place to District Reserve Depot in Bangalore City and *vice versa* and from depots to depots and Railway Goods-shed and *vice versa* in Bangalore City and from Civil Area Railway Goods-shed to District Reserve Depot or any Depot in Bangalore City and *vice versa*. The contract will be in force for a period of 11 months from 1st November 1950 in the first instance.

CONDITIONS.

1. Applications not presented in the prescribed form, applications not furnishing the required information or furnishing of more or any other information not required under the notification and belated applications shall receive no consideration.

2. In addition to transportation, the contractor should arrange for loading and unloading and stacking the goods into lots by his own agency and at his own cost.

3. Each tender must be accompanied by a treasury chellan for having credited a sum of Rs. 100 (Rupees one hundred only) in the District Treasury, Bangalore, to the Revenue Deposit Account, as an earnest money, which will be refunded after the tenders are decided. If after submitting a tender, the tenderer wishes to withdraw it, he shall forfeit the deposit amount.

4. The tenders may be delivered in sealed covers marked as "Lorry Transport Tender" to the Deputy Commissioner, or to the Food Assistant to the Deputy Commissioner, Bangalore District, or sent by registered post giving particulars as noted in the schedule hereunder (schedule form may be copied from the office notice board).

5. The contractor whose tender is accepted should give an agreement on a stamped paper of the prescribed value binding himself to conform to the conditions stipulated by the undersigned before his contract is let in and should also furnish a cash security of Rs. 1,000 (Rupees one thousand only) to ensure due fulfilment of these terms and conditions of the contract.

6. If there should be any delay in giving effect to the fresh tenders due to unforeseen or unavoidable circumstances, the present contractor if he also applies for the fresh tender and if his services are continued during the period of delay in giving effect to the fresh tender or the future tenderer whose contract will be accepted as noted in serial No. 7 will bind himself to receive any reasonable rate of hire charges that may be fixed by Government during such interim period.

7. The tenders will be disposed of under the usual rules applicable thereto, the lowest rate quoted being generally accepted, the orders of the Deputy Commissioner in this behalf being final, who does not bind himself to accept the lowest tender only, and he may accept or reject any tender without assigning any reasons therefor. Final acceptance of the tender is also subject to the approval of the Director of Food Supplies in Mysore, Bangalore.

8. Each tenderer should produce a solvency certificate issued by the Amildar of the Taluk to the extent of at least Rs. 25,000.

9. Further particulars may be had from the Office of the Deputy Commissioner, Bangalore District (Food Supplies), during working hours.

4299 B. T. KEMPANNA, *Dy. Commr.*

SCHEDULE

1 Name and full address of the tenderer ... ...
2 Locality in which he plies ... ...
3 Registered Number of lorries he can place for work at a time .....
4 District Treasury, Bangalore, Chellan No. RD ....
Date.....for Rs. 100 remitted as earnest money enclosed.

Commodity	Lowest rate per mile per palla including, loading, unloading and stacking charges. For transport in the District (excluding depots to depots, *i.e.* from Bangalore to depots in the Taluks and *vice versa*, Railway Goods-shed in the City and Civil Area. Forward journey. Ten miles and less.	More than ten miles.	Return journey Ton-miles and less.	More than ten miles.	For transport from depots to depots and Railway goods-shed depots and vice versa in Bangalore City per palla irrespective of distances.	For transport from Civil Area goodsshed or from any depot in Civil Area to D.R.D. or to any depot in Bangalore City and *vice versa* per palla irrespective of distance.	Remarks
1 Rice, ragi, jola, wheat, navane, haraka, sajje, save, all grains and pulses groundnut seeds, maize, etc., (measureable in terms of pallas and seers.)	...	...	...	...	...	...	Rate should be in terms of per palla per mile.
2 Paddy, groundnuts (grains in husk).	...	...	...	...	...	...	Do do
3 Atta, roji, maida, sugar, wheat flour, groundnut cake and such other non-measurable commodities.	...	...	...	...	...	...	Rate should be in terms of per bag per mile (weighing from 150 to 206 lbs.)
4 Empty gunny bags ...	...	...	...	...	...	...	Rate should be per load per mile taking 7 gunny bales of 400 gunnies each to be equivalent to one lorry load *pro rata* charges will be paid for actual number of bales carried.
5 Weighing charges ...	...	...	...	...	...	...	Per bag
6 Measuring charges including stitching with gunny threads at the cost of the contractor.	...	...	...	...	...	..	Do
7 Re-stacking charges ...	...	...	...	...	...	...	Do
8 Any unforeseen items of commodity.	...	...	...	...	...	...	Per running mile for a full lorry load of 4 tons.

(*a*) Forward journey means journey with a higher fare load.

(*b*) Return journey means journey with a lower fare load.

(*c*) When both journeys carry equal fare load, one will be treated as forward and the other as return.

(*d*) For return journeys when no load is given no charges will be paid, but the contractor may carry any private load without causing inconvenience to the Revenue Inspector accompanying the lorries.

(*e*) The mileage allowed in the transport bills will be the miles noted in the road map which are reckoned from the Public Offices at Bangalore to different places in the District.

(*f*) The rates paid for trips in Bangalore City are also applicable for similar trips performed at Taluk Headquarters of this District.

DODBALLAPUR SUB-DIVISION.

Tender Notification dated 12th August 1950.

No. A3. M. C. 5—50-51. Sealed tenders duly signed by the contractors will be received in the Office of the Sub-Division Officer, Dodballapur Sub-Division, Bangalore, up to 4 P.M. on 18th September 1950, for the construction of a car shed to Sree Champakadhama Swami Temple at Bannerghatta, Jigani Hobli, II Circle, Anekal Taluk, Bangalore District. The estimated cost of the work is Rs. 2,200.

2 Each tender must be accompanied by a duplicate treasury chellan for having credited the amount of Rs. 250 towards earnest money under Revenue Deposit. The earnest money of the successful contractor will be retained as security deposit for the fulfilment of the contract.

3 No cheque will be accepted.

4 The successful tenderers will be required to execute a stamped agreement within a week from the date of receipt of intimation of the acceptance of the tender.

5 Tenders should be superscribed as "Tender for the construction of Car Shed".

6 Tender without quoting specific rates will be rejected.

7 Tenders will be opened at 12 NOON on the next working day in the presence of the tenderers present.

8 The plan and other particulars relating to the work will be available in Dodballapur Sub-Division Office at Bangalore between 11 A.M. and 5 P.M. on all working days.

9 The acceptance or rejection of the tender entirely vests with the Sub-Division Officer.

4324 G. A. NARAYANA SETTY, *S.D.O.*